



Seeds Cactus .com

Table of sowing

Online market for Cactus and Succulent Seeds

GENUS	TEMPERATURE (°C)		TEMPERATURE (°F)		HUMIDITY (%)		SOIL <i>Mix</i>	AWAKENING TREATMENT <i>name of treatment</i>	LIGHTING			AGE OF SEEDS <i>years</i>	AGE OF FIRST REPOTTING <i>years</i>	NOTES
	<i>min</i>	<i>max</i>	<i>min</i>	<i>max</i>	<i>min</i>	<i>max</i>			Period <i>hours x day</i>	Streight (lux * 10 ³)				
										<i>from</i>	<i>to</i>			
Acanthocalycium	18	26	64	79	90%	100%	3		12	11	14	1-2 years	0,8 - 1,2 years	
Adansonia	25	30	77	86	90%	100%	4		13	11	14	1-2 years	2 years	
Adenium	18	26	64	79	90%	100%	1		12	10	12	1-2 years	1 year	
Adromiscus	16	22	61	72	90%	100%	4		12	12	14	1-2 years	0,8 - 1,2 years	
Aloe	22	32	72	90	90%	100%	4		12	10	14	1 year	1 year	
Anacampseros	16	22	61	72	90%	100%	1		14	12	14	1 year	0,8 - 1,2 years	
Ancistrocactus	17	22	63	72	90%	100%	5		13	10	12	1-2 years	0,8 - 1 year	
Aporocactus	22	28	72	82	90%	100%	3		12	10	12	1-2 years	0,6 - 0,8 years	
Aporophyllum	22	28	72	82	90%	100%	3		12	10	14	1-2 years	0,8 - 1 year	
Ariocarpus	15	26	59	79	90%	100%	3	stratification	12	10	15	1-2 years	0,6 - 0,8 years	
Argyroderma	16	22	61	72	90%	100%	4		12	10	14	1-2 years	0,8 - 1,2 years	
Arrojadoa	20	30	68	86	90%	100%	1		12	10	12	1-2 years	0,8 - 1,2 years	
Astroloba	18	26	64	79	90%	100%	2		12	10	14	1 year	0,6 - 0,8 years	
Astrophytium	18	26	64	79	90%	100%	5		12	10	14	1-2 years	0,8 - 1 year	
Austrocactus	13	35	55	95	90%	100%	5	acidification / stratification	12	10	14	1-2 years	0,8 - 1,2 years	<i>only nightly stratification</i>
Aztekium	18	26	64	79	90%	100%	5		12	10	14	1-2 years	1-2 years	<i>very slow growing, easy rotting</i>
Backebergia	20	30	68	86	90%	100%	1		12	12	14	1-2 years	0,8 - 1,2 years	
Beaucarnea	18	26	64	79	90%	100%	4	scarification	12	10	14	1-2 years	0,8 - 1,2 years	
Blossfeldia	17	22	63	72	90%	100%	2		13	10	14	1 year	3-4 years	<i>freshness of seeds very important</i>
Bromelia	18	26	64	79	90%	100%	2		shadow	11	14	1-2 years	0,8 - 1 year	
Bursera	18	26	64	79	90%	100%	4		14	10	14	1-2 years	2 years	
Calibanus	18	26	64	79	90%	100%	4	stratification / scarification	14	10	14	1-2 years	2 years	
Caralluma	24	28	75	82	90%	100%	1		12	10	12	1 year	0,8 - 1,2 years	
Cheiridopsis	16	22	61	72	90%	100%	4		12	10	12	1-2 years	0,8 - 1 year	
Chorisia	24	28	75	82	90%	100%	2	scarification	12	10	14	1 year	0,8 - 1,2 years	
Cissus	24	28	75	82	90%	100%	2	scarification	12	12	14	1 year	0,8 - 1 year	



GENUS	TEMPERATURE (°C)		TEMPERATURE (°F)		HUMIDITY (%)		SOIL <i>Mix</i>	AWAKENING TREATMENT <i>name of treatment</i>	LIGHTING			AGE OF SEEDS <i>years</i>	AGE OF FIRST REPOTTING <i>years</i>	NOTES
	<i>min</i>	<i>max</i>	<i>min</i>	<i>max</i>	<i>min</i>	<i>max</i>			Period	Strenght (lux * 10 ³)				
									<i>hours x day</i>	<i>from</i>	<i>to</i>			
Conophytum	16	22	61	72	90%	100%	4		12	12	14	1-2 years	0,8 - 1,2 years	
Cotyledon	16	22	61	72	90%	100%	1		12	11	14	1-2 years	0,6 - 0,8 years	
Crassula	16	22	61	72	90%	100%	1		12	11	14	1-2 years	0,8 - 1,2 years	
Cussonia	24	28	75	82	90%	100%	2	scarification	14	12	14	1 year	0,8 - 1,2 years	
Cyphostemma	24	28	75	82	90%	100%	2	scarification	14	12	14	1 year	0,6 - 0,8 years	
Dasyliirion	16	20	61	68	90%	100%	1	scarification	14	10	14	1-2 years	0,8 - 1,2 years	
Discocactus	20	30	68	86	90%	100%	1	stratification	14	10	14	1-2 years	0,8 - 1 year	
Dudleya	17	22	63	72	90%	100%	4		12	10	12	1-2 years	0,8 - 1,2 years	
Dychia	18	26	64	79	90%	100%	2		shadow	10	14	1-2 years	0,8 - 1,2 years	
Echeveria	16	22	61	72	90%	100%	4		12	10	12	1-2 years	0,6 - 0,8 years	
Echinocactus	18	26	64	79	90%	100%	5	acidification	12	10	12	1-2 years	0,8 - 1,2 years	
Echinocereus	16	22	61	72	90%	100%	4		12	10	14	1-2 years	0,8 - 1,2 years	
Echinofossulocactus	17	22	63	72	90%	100%	4		13	10	14	1-2 years	0,6 - 0,8 years	
Echinomastus	18	26	64	79	90%	100%	5	stratification	12	10	14	1-2 years	0,8 - 1 year	
Epicactus	22	28	72	82	90%	100%	3		12	12	14	1-2 years	0,8 - 1 year	
Epiphyllum	22	28	72	82	90%	100%	3		12	10	14	1-2 years	0,8 - 1,2 years	
Epithelantha	18	26	64	79	90%	100%	5	stratification	12	10	12	1-2 years	2 years	
Eriosyce	18	26	64	79	90%	100%	3	stratification	14	10	14	1-2 years	0,8 - 1,2 years	
Escobaria	13	35	55	95	90%	100%	5	stratification / scarification	14	10	14	1-2 years	0,8 - 1,2 years	<i>only nightly stratification</i>
Euphorbia	24	28	75	82	90%	100%	4		18	12	15	1-2 years	0,8 - 1 year	
Fouquieria	18	26	64	79	90%	100%	4		14	10	14	1-2 years	2 years	
Frailea	17	22	63	72	90%	100%	4		13	10	14	1-2 years	0,8 - 1,2 years	
Geohintonia	18	26	64	79	90%	100%	5		20	12	15	1-2 years	0,8 - 1,2 years	<i>very slow growing, easy rotting</i>
Glandulicactus	18	26	64	79	90%	100%	5		14	10	14	1-2 years	0,6 - 0,8 years	
Graptopetalum	16	22	61	72	90%	100%	4		14	12	14	1-2 years	0,8 - 1,2 years	
Grusonia	14	36	57	97	90%	100%	4		13	11	14	1-2 years	0,8 - 1,2 years	
Gymnocactus	18	26	64	79	90%	100%	5		12	9	13	1-2 years	0,8 - 1,2 years	
Gymnocalycium	18	26	64	79	90%	100%	3		12	11	14	1-2 years	0,8 - 1,2 years	
Hawortia	9	16	48	61	90%	100%	2		12	11	14	1-2 years	0,8 - 1 year	
Hechtia	18	26	64	79	90%	100%	2		shadow	10	12	1-2 years	0,6 - 0,8 years	
Heliocereus	22	28	72	82	90%	100%	3		12	10	14	1-2 years	0,8 - 1,2 years	
Hoodia	24	28	75	82	90%	100%	1		12	9	13	1 year	0,8 - 1,2 years	



GENUS	TEMPERATURE (°C)		TEMPERATURE (°F)		HUMIDITY (%)		SOIL	AWAKENING TREATMENT	LIGHTING			AGE OF SEEDS	AGE OF FIRST REPOTTING	NOTES		
	min	max	min	max	min	max			Mix	name of treatment	Period				Streight (lux * 10 ³)	
											hours per day				from	to
Huernia	24	28	75	82	90%	100%	1		12	10	14	1 year	0,6 - 0,8 years			
Hylocereus	22	28	72	82	90%	100%	3		12	10	14	1-2 years	0,8 - 1 year			
Jatropha	24	28	75	82	90%	100%	2	scarification	13	9	13	1 year	0,8 - 1 year			
Kalanchoe	16	22	61	72	90%	100%	4		12	10	14	1-2 years	0,8 - 1,2 years			
Lobivia	17	22	63	72	90%	100%	4		13	11	14	1-2 years	0,8 - 1,2 years			
Maihuenia	13	35	55	95	90%	100%	5	stratification / scarification	12	10	14	1-2 years	0,8 - 1,2 years	only nightly stratification		
Melocactus	20	30	68	86	90%	100%	3		12	10	14	1-2 years	0,8 - 1,2 years			
Mesembryanthemum	18	22	64	72	90%	100%	50%sand 50%garden soil		16	8	10	2-5 years	0,8 - 1,2 years	use pots at least 5-7 cm deep		
Neolloydia	18	26	64	79	90%	100%	5		12	10	14	1-2 years	0,8 - 1,2 years			
Neowerdemyarsa	13	35	55	95	90%	100%	5	stratification / scarification	12	10	14	1-2 years	0,8 - 1,2 years	only nightly stratification		
Nolina	18	26	64	79	90%	100%	4	scarification	12	10	14	1-2 years	0,8 - 1 year			
Nopalxochia	22	28	72	82	90%	100%	3		12	9	13	1-2 years	0,8 - 1 year			
Notocactus	17	22	63	72	90%	100%	3		13	11	14	1-2 years	0,8 - 1,2 years			
Obregonia	18	26	64	79	90%	100%	4	stratification	12	10	14	1-2 years	0,6 - 0,8 years			
Opuntia	14	36	57	97	90%	100%	5	stratification / scarification	13	10	14	1-2 years	0,8 - 1,2 years	only nightly stratification		
Oroya	17	22	63	72	90%	100%	4		13	10	14	1-2 years	0,8 - 1,2 years			
Othonna	5	10	41	50	90%	100%	4		11	8	12	1-2 years	0,8 - 1,2 years			
Pachyphytum	18	22	64	72	90%	100%	4		12	10	14	1-2 years	0,8 - 1,2 years			
Parodia	16	22	61	72	90%	100%	2		14	10	15	1-2 years	0,8 - 1,2 years			
Pediocactus	13	35	55	95	90%	100%	5	stratification / scarification	14	10	14	1-2 years	0,8 - 1,2 years	only nightly stratification		
Peireskia	20	30	68	86	90%	100%	1		14	12	14	1-2 years	0,8 - 1,2 years			
Pelargonium	8	14	46	57	90%	100%	4	stratification	14	10	14	1-2 years	0,8 - 1 year			
Pelecyphora	13	35	55	95	90%	100%	5	stratification / scarification	12	10	14	1-2 years	0,8 - 1,2 years	only nightly stratification		
Pereskia	20	30	68	86	90%	100%	1		12	10	14	1-2 years	0,6 - 0,8 years			
Pitcarnea	18	26	64	79	90%	100%	2		shadow	10	12	1-2 years	0,8 - 1,2 years			
Pseudolithos	18	26	64	79	90%	100%	5		12	10	14	1-2 years	2 years			
Puya	18	26	64	79	90%	100%	2		shadow	10	12	1-2 years	0,8 - 1,2 years			
Pyrocactus	17	22	63	72	90%	100%	4		13	11	14	1-2 years	0,8 - 1,2 years			
Rebutia	17	22	63	72	90%	100%	3		13	11	14	1-2 years	0,8 - 1 year			
Rhipsalis	22	28	72	82	90%	100%	3		12	9	13	1-2 years	0,8 - 1,2 years			
Rhodacactus	20	30	68	86	90%	100%	1		12	10	14	1-2 years	0,8 - 1 year			



GENUS	TEMPERATURE (°C)		TEMPERATURE (°F)		HUMIDITY (%)		SOIL <i>Mix</i>	AWAKENING TREATMENT <i>name of treatment</i>	LIGHTING			AGE OF SEEDS <i>years</i>	AGE OF FIRST REPOTTING <i>years</i>	NOTES
	<i>min</i>	<i>max</i>	<i>min</i>	<i>max</i>	<i>min</i>	<i>max</i>			<i>Period</i> <i>hours x day</i>	Strenght (lux * 10 ³)				
										<i>from</i>	<i>to</i>			
Sarcocaulon	18	22	64	72	90%	100%	4		11	10	14	1-2 years	0,8 - 1,2 years	
Schlumbergera	22	28	72	82	90%	100%	3		14	10	14	1-2 years	0,6 - 0,8 years	
Sclerocactus	13	35	55	95	90%	100%	5	stratification / scarification	12	9	13	1-2 years	0,8 - 1,2 years	<i>only nightly stratification</i>
Sedum	16	22	61	72	90%	100%	4		12	10	14	1-2 years	0,6 - 0,8 years	
Selenicereus	22	28	72	82	90%	100%	3		12	10	14	1-2 years	0,8 - 1,2 years	
Sempervivium	18	22	64	72	90%	100%	4		12	10	12	1-2 years	0,8 - 1 year	
Sophora	13	35	55	95	90%	100%	5	stratification / scarification	12	10	12	1-2 years	0,6 - 0,8 years	<i>only nightly stratification</i>
Stapelia	24	28	75	82	90%	100%	1		12	10	14	1 year	0,8 - 1,2 years	
Strombocactus	18	26	64	79	90%	100%	2		12	10	14	1-2 years	3 years	
Sulcorebutia	20	25	68	77	90%	100%	4		12	9	13	1 year	0,8 - 1,2 years	
Tephrocactus	13	35	55	95	90%	100%	5	stratification / scarification	13	11	14	1-2 years	0,8 - 1,2 years	<i>only nightly stratification</i>
Thelocactus	18	26	64	79	90%	100%	5		12	10	14	1-2 years	0,6 - 0,8 years	
Toumeyia	13	35	55	95	90%	100%	5	stratification / scarification	12	10	14	1-2 years	0,8 - 1,2 years	<i>only nightly stratification</i>
Turbinicarpus	18	26	64	79	90%	100%	5		14	12	14	1-2 years	0,8 - 1,2 years	
Tylecodon	16	22	61	72	90%	100%	1		11	11	14	1-2 years	0,6 - 0,8 years	
Uebelmyearsa	20	30	68	86	90%	100%	1	stratification	12	10	14	1-2 years	0,8 - 1 year	
Uthaia	13	35	55	95	90%	100%	5	stratification / scarification	12	10	12	1-2 years	0,8 - 1 year	<i>only nightly stratification</i>
Welwitschia	28	32	82	90	90%	100%	4	stratification / scarification	14	12	14	1-2 years	5 years	<i>use pots at least 30 cm deep</i>
Others	18	26	64	79	90%	100%	1		14	10	14	1-2 years	1 year	